



Forma® Injection Technique

Höjdrodergatan 18 | 212 39 | Malmö
T +46 (0)40 607 77 70
info@cdi-dental.com | www.cdi-dental.com

Client ID: _____

Practice:

Dentist:

Patient: M / F

Patient ID: D.o.B:

Order form


- According to quotation no.:
- Consulted with:
- Consultation required:
- Additional impression/materials for order:

Send me:

- Order forms
- Bite registration boxes
- Delivery boxes
- Zip lock plastic bag regular
- Zip lock plastic bag small

1 Diagnostics

- Consultation required
- Elysee Smile Design instead of ElyseeView (surcharge)



Treatment zones

Treatment singular jaw

- Upper Anterior
- Upper Posterior
- Upper Complete jaw
- Lower Anterior
- Lower Posterior
- Lower Complete jaw

Treatment upper and lower jaw

- Upper + Lower Anterior (2 zones)
- Upper + Lower Posterior (4 zones)
- Upper + Lower Complete jaw (6 zones)

- 3 zones: Anterior: Upper jaw / Lower jaw
Posterior: Upper jaw / Lower jaw
- 5 zones: Complete: Upper jaw / Lower jaw
Posterior: Upper jaw / Lower jaw

Impressions for submission:

Digital

- Digital impression (fill out scan number):
- Bite registration and VDO digital (fill out scan number):
- Provisional build-up 11 and 21 (fill out scan number):

Analogue (Surcharge)

- Analogue impressions (to be converted to digital files)
- Bite registration and VDO analogue
- Provisional build-up 11 and 21 analogue impression

Try-in phase (optional)

Shade A1 / A2 / A3 / B1 / Bleach

You will receive:

ElyseeView digital diagnostic design
3D printed model
Putty-key
Temporary composite

Return date

- Date (before order placement, default 9 business days):

____-____-20____

- Appointment to follow

2 Final injection phase

- Consultation required

- Try-in is correct, no adjustments required
- Try-in requires adjustments, new scan (fill out scan number):

Shade

- Shade nano-filled injectable composite syringes:
A1 / A2 / A3 / B1 / Bleach
- Additional syringes increased opacity (surcharge):
.....x AO1
.....x AO2
.....x AO3
- Additional syringes shade enamel (toeslag):
.....x JE (junior, higher value, A1, A2)
.....x AE (adult, lower value, A3 and up)

You will receive:

ElyseeView digitaal diagnostisch ontwerp
Full & alternating models
Transparent moulds
Metal strips
Polishing rubbers
Teflon isolation tape
Nano-filled injectable composite (select your choice on the left)

3 Comments

Return Date

- Date (before order placement, default 9 business days):

____-____-20____

- Appointment to follow